

AD-A193 697

POLYNOMIAL DEFINITION OF DISCRETE FIELD POINTS OF MAP
OF DIFFUSION EQUATION PART I (U) ARMY BALLISTIC RESEARCH
LAB ABERDEEN PROVING GROUND MD W F DONOHUE MAR 88
BRL-MR-3649-PI-1 F/G 12/1

1/1

UNCLASSIFIED


ML

END

DATE

FILED

78



AD-A193 697

ADP 301097

It is not shown in this report.

It is not shown in this report.

It is not shown in this report.

It is not shown in this report.

UNITED STATES
DEPARTMENT OF AGRICULTURE
BUREAU OF PLANT INDUSTRY
WASHINGTON, D. C.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
1a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED			1b. RESTRICTIVE MARKINGS		
2a. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION / AVAILABILITY OF REPORT		
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE					
4. PERFORMING ORGANIZATION REPORT NUMBER(S) BRL-MR-3649			5. MONITORING ORGANIZATION REPORT NUMBER(S)		
6a. NAME OF PERFORMING ORGANIZATION USA Ballistic Research Lab		6b. OFFICE SYMBOL (If applicable) SLCBR-IB-M	7a. NAME OF MONITORING ORGANIZATION USA Ballistic Research Lab		
6c. ADDRESS (City, State, and ZIP Code) Aberdeen Proving Ground, MD 21005-5066			7b. ADDRESS (City, State, and ZIP Code)		
8a. NAME OF FUNDING / SPONSORING ORGANIZATION		8b. OFFICE SYMBOL (If applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER		
8c. ADDRESS (City, State, and ZIP Code)			10. SOURCE OF FUNDING NUMBERS		
			PROGRAM ELEMENT NO. 62618A	PROJECT NO. 1L162618 AB80	TASK NO.
			WORK UNIT ACCESSION NO.		
11. TITLE (Include Security Classification) (U) Polynomial Definition of Discrete Field Points of Map of Diffusion Equation, Part I					
12. PERSONAL AUTHOR(S) William F. Donovan					
13a. TYPE OF REPORT		13b. TIME COVERED FROM _____ TO _____		14. DATE OF REPORT (Year, Month, Day)	
				15. PAGE COUNT	
16. SUPPLEMENTARY NOTATION					
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD	GROUP	SUB-GROUP	Diffusion Equation Heat Flow in Ballistic Environment Finite Difference		
20	06				
19. ABSTRACT (Continue on reverse if necessary and identify by block number) The diffusion equation is solved by differencing methods to present discrete values of the dependent variable at specific times and locations. The solution is given as coordinate polynomials and is bounded between 0 and ∞ .					
20. DISTRIBUTION / AVAILABILITY OF ABSTRACT <input type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT <input type="checkbox"/> DTIC USERS			21. ABSTRACT SECURITY CLASSIFICATION		
22a. NAME OF RESPONSIBLE INDIVIDUAL William F. Donovan			22b. TELEPHONE (Include Area Code) 278-6132		22c. OFFICE SYMBOL SLCBR-IB-M

DD Form 1473, JUN 86

Previous editions are obsolete.


SECURITY CLASSIFICATION OF THIS PAGE

UNCLASSIFIED

TABLE OF CONTENTS

	<u>Page</u>
LIST OF ILLUSTRATIONS	5
LIST OF TABLES	7
I. INTRODUCTION	9
II. PROCEDURE	9
III. RESULTS11
IV. ACKNOWLEDGEMENT35
References36
List of Symbols37
Distribution List39

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	



LIST OF ILLUSTRATIONS

<u>Figure</u>	<u>Page</u>
1. Schmidt Diagram	13
2. Gregory-Newton Transposition	24

LIST OF TABLES

<u>Table</u>	<u>Page</u>
1. Time Location.	14
2. Constant Term Numerators	25
3. Polynomial Expansions for Selected Intersections	26
4. 1st Power Numerators	27
5. 2nd Power Numerators	28
6. 3rd Power Numerators	29
7. 4th Power Numerators	30
8. 5th Power Numerators	31
9. 6th Power Numerators	32
10. Line Progression Correlations.	33
11. Vertical Counter Correlation	34

INTRODUCTION

The diffusion equation of Physics has been used to analyze unsteady heat transfer, boundary layer velocity distribution, long line electrical voltage fluctuation, and salt-solute penetration. The general mathematical expression is

$$\partial T / \partial t = a \partial^2 T / \partial x^2,$$

where particular physical constraints determine the context. There are two approaches to the problem statement and solution; the one most widely used being transformation, and the other, finite difference techniques, employ variations of summing averages of term values established by unique methods. This report considers an averaging type solution in algebraic format. The final result consists of a series of discrete polynomials with rational coefficients which describe the dependent variable at each time-distance coordinate in the manner of the non-reflecting Schmidt plot.

PROCEDURE

Essentially, the differential equation is recast as a finite difference expression which is transposed first to geometric and then to polynomial algebraic form. The polynomials, representing discrete solutions to the differential equation, are analyzed by differencing techniques whereby the numerical coefficients of common diagonal terms are found to be expressible in a generalized matrix.

From the one dimensional partial differential equation

$$\frac{\partial T}{\partial t} = a \frac{\partial^2 T}{\partial x^2}, \quad (1)$$

where T is the dependent variable, t is an independent variable, x is an independent variable, and a is a constant. In heat transfer problems, T is temperature, t is time, x is distance, and a is the diffusivity. Application of the finite difference procedure gives

$$\frac{1}{a} \frac{\Delta_t T}{\Delta t} = \frac{\Delta_x^2 T}{\Delta x^2} \quad (2)$$

with Δt the finite difference in time, Δx the finite difference in distance, $\Delta_t T$ the time variable effecting a change in T , and $\Delta_x^2 T$ the distance variable effecting a change in T .

By expansion the equation becomes

$$\frac{1}{a} \left(\frac{T_n^{(t+1)} - T_n^{(t)}}{\Delta t} \right) = \frac{T_{(n+1)}^{(t)} - 2 T_n^{(t)} + T_{(n-1)}^{(t)}}{\Delta x^2}, \quad (3)$$

where subscript n refers to the χ increments and superscript t refers to the t increments. Schmidt¹ developed the graphical form shown on Figure 1 with the stepwise linear temperature gradients across adjacent layers of material. Since the change in internal energy within a layer of material over a finite time is the difference between the heat flow in and heat flow out, the corresponding temperature increment becomes a function of the ratio $\frac{\Delta\chi^2}{2a\Delta t}$ and it is convenient to select this ratio as unity, leading to

$$\Delta t = \frac{\Delta\chi^2}{2a} \quad (4)$$

Also, a geometric simplification results from defining the graphical proportions as

$$m = \frac{\Delta\chi}{\Delta\chi + \Delta\chi_0} \quad (5)$$

where the $\Delta\chi_0$ is the graphical analogue of the initial film coefficient.

Table 1 shows the discrete algebraic expressions for the time-temperature-distance intersections of Figure 1. Along the diagonals of Table 1 a matched power polynomial appears and the coordinate expression for T in time and distance takes the general form

$$T(N, P) = \frac{\varphi}{2^h 2^j} (A - Bm + Cm^2 - \dots \pm m^k) \quad (6)$$

where N is a distance index, P is a time index,

$$h = \frac{(P + N) - 2 - |\sin(P + N)\pi/2|}{2}$$

(the external denominator exponent), k is the terminal exponent of m, j is k minus the exponent of m (the individual term denominator exponent), and

$$\varphi = m(T_G^0 - T_1^0)$$

with A, B, C ... numerical coefficients of the interior terms of the equation. To establish T(N, P) for any φ and m (which include the physical constraints) it is necessary to establish the precise values of the coefficients A, B, C ...; and this is the object of the current investigation.

Any full expression, T(N, P), can be developed from a Gregory-Newton formulation² of the separate terms A, B, C, for the bounded diffusion equation as shown in Figure 2. Some interesting progressions do result but an alternate and more geometric presentation is available from the direct finite difference tables.

¹ Sutton, G.P., Rocket Propulsion Elements, John Wiley & Sons, New York 1956.

² Spiegel, M.R., Theory and Problems of Finite Differences and Finite Difference Equations, Schaum's Outline Series in Mathematics, McGraw-Hill Book Company, New York, etc., 1971, pp. 36-44.

Table 2 is also extracted, by difference equation procedure, from Table 1 and generates the coefficients of the constant term, A, for the coordinate expression of distance and time. The starting point is within the heavy box of column 7. These numbers, 17548, 25147, 35401, 49024 and 66868, were found by direct calculation using Figure 1 and Table 1 and are the constant numerator terms only. Table 3 lists the complete polynomial expressions for these coordinates. By the usual differencing, the 7th through the 1st columns are established. It is then possible to work vertically using the regression in column 2, back to zero; and then to complete the elements of columns 1 through 6. Noting the resulting bias progression at the tops of these columns, the next step is continue diagonally (I, II, III) to column 8 and, using column 7 as a summation, verify the vertical sequence of column 8. Columns 9, 10, 11, ..., are generated similarly.

Within the individual frames containing the coefficients is a parenthesized pair of numbers which indicate the distance and time coordinate. These indices run diagonally upwards at constant distance and bi-sequentially as time. Tables 4 through 9 are formed by the same procedure and extend arbitrarily to the 6th power of m. However, a different sequence appears along diagonals I, II and III according to the power of m. Table 10 summarizes this behavior and reveals yet another correlation, shown mainly by column 4, from which the adjacent columns can be constructed adinfinitem. The final coincidence occurs from a reinspection of Tables 2, and 4-9 where the digital vertical counting column (1, 2, 3, 4, 5 ...) conjoins the power of m and the time sequence of the first distance diagonal (1,3), (1,5), (1,7), etc., by an interval of 3 in the counter according to Table 11.

RESULTS

To write any term defining the dependent variable in time and distance, Tables 2 through 11 are used to form the numerical coefficients in Equation (6),

$$T(N,P) = \frac{\varphi}{2^{h_2 j}} \left[A - Bm + Cm^2 - \dots + \dots \pm m^K \right]$$

For T(1,15) for instance,

$$N = 1,$$

$$P = 15,$$

$$k = \frac{P - N - \left| \sin (P - N) \pi / 2 \right|}{2} = \frac{(15 - 1) - \left| \sin 7 \pi \right|}{2} = 7,$$

$$h = \frac{P + N - 2 \left| \sin (P + N) \pi / 2 \right|}{2} = \frac{(15 + 1) - 2 - \left| \sin 8 \pi \right|}{2} = 7, \text{ and}$$

$$j = (k - \text{term exponent of } m) = (7 - \text{term exponent of } m) .$$

The finite difference tables for the (1,15), j variables are then reconstructed (Tables 2, and 4 -9) using Tables 10 and 11 and the respective numerators determined, yielding

whereby

Term	Numerator Value	Exponent of "m"	"j"
A	51480	0	7
B	39796	1	6
C	20264	2	5
D	7050	3	4
E	1672	4	3
F	260	5	2
G	24	6	1
H	1	7	0

hence

$$T(1,15) = \frac{\phi}{128} \left[\frac{51480}{128} - \frac{39796m}{64} + \frac{20264m^2}{32} - \frac{7050m^3}{16} + \frac{1672m^4}{8} - \frac{260m^5}{4} + \frac{24m^6}{2} - m^7 \right] .$$




Figure 1. Schmidt Diagram

TABLE 1. TIME LOCATION

N	P \longrightarrow					
	1	2	3	4	5	6
1	\emptyset	\emptyset	$(\emptyset/2)(3 - m)$	$(\emptyset/2)(3 - m)$	$(\emptyset/4)(30/4 - 9/2 m + m^2)$	$(\emptyset/4)(30/4 - 9/2 m + m^2)$
2		$\emptyset/2$	$\emptyset/2$	$(\emptyset/4)(7/2 - m)$	$(\emptyset/4)(7/2 - m)$	$(\emptyset/8)(38/4 - 10/2 m + m^2)$
3			$\emptyset/4$	$\emptyset/4$	$(\emptyset/8)(4 - m)$	$(\emptyset/8)(4 - m)$
4				$\emptyset/8$	$\emptyset/8$	$(\emptyset/16)(9/2 - m)$
5					$\emptyset/16$	$\emptyset/16$
6						$\emptyset/32$
7						
8						

TABLE 1. (continued)

7	8
$(\emptyset/8)(35/2 - 29/2 m + 12/2 m^2 - m^3)$	$(\emptyset/8)(35/2 - 29/2 m + m^2 - m^3)$
$(\emptyset/8)(35/4 - 10/2 m + m^2)$	$(\emptyset/16)(187/8 - 69/4 m + 13/2 m^2 - m^3)$
$(\emptyset/16)(47/4 - 11/2 m + m^2)$	$(\emptyset/16)(47/4 - 11/2 m + m^2)$
$(\emptyset/16)(9/2 - m)$	$(\emptyset/32)(57/4 - 12/2 m + m^2)$
$(\emptyset/32)(5 - m)$	$(\emptyset/32)(5 - m)$
$\emptyset/32$	$(\emptyset/64)(11/2 - m)$
$\emptyset/64$	$\emptyset/64$
	$\emptyset/128$

TABLE 1. (continued)

9
$(\emptyset/16)(630/16 - 325/8 m + 95/4 m^2 - 15/2 m^3 + m^4)$
$(\emptyset/16)(187/8 - 69/4 m + 13/2 m^2 - m^3)$
$(\emptyset/32)(244/8 - 81/4 m + 14/2 m^2 - m^3)$
$(\emptyset/32)(57/4 - 12/2 m + m^2)$
$(\emptyset/64)(68/4 - 13/2 m + m^2)$
$(\emptyset/64)(11/2 - m)$
$(\emptyset/128)(6 - m)$
$\emptyset/128$
$\emptyset/256$

TABLE 1. (continued)

10
$(\emptyset/16)(630/16 - 325/8 m + 95/4 m^2 - 15/2 m^3 + m^4)$
$(\emptyset/32)(874/16 - 406/8 m + 109/4 m^2 - 10/2 m^3 + m^4)$
$(\emptyset/32)(244/8 - 81/4 m + 14/2 m^2 - m^3)$
$(\emptyset/64)(312/8 - 94/4 m + 15/2 m^2 - m^3)$
$(\emptyset/64)(68/4 - 13/2 m + m^2)$
$(\emptyset/128)(80/4 - 14/2 m + m^2)$
$(\emptyset/128)(6 - m)$
$(\emptyset/256)(13/2 - m)$
$\emptyset/256$
$\emptyset/512$

TABLE 1. (continued)

11

$$(\emptyset/32)(1386/16 - 843/8 m + 312/4 m^2 - 141/4 m^3 + 18/2 m^4 - m^5)$$

$$(\emptyset/32)(874/16 - 406/8 m + 109/4 m^2 - 16/2 m^3 + m^4)$$

$$(\emptyset/64)(1186/16 - 500/8 m + 124/4 m^2 - 17/2 m^3 + m^4)$$

$$(\emptyset/64)(312/8 - 94/4 m + 15/2 m^2 - m^3)$$

$$(\emptyset/128)(392/8 - 298/4 m + 16/2 m^2 - m^3)$$

$$(\emptyset/128)(60/4 - 14/2 m + m^2)$$

$$(\emptyset/256)(93/4 - 15/2 m + m^2)$$

$$(\emptyset/256)(13/2 - m)$$

$$(\emptyset/512)(14/2 - m)$$

$$\emptyset/512$$

$$\emptyset/1024$$

TABLE 1. (continued)

12
$(\emptyset/32)(1386/16 - 843/8 m + 312/4 m^2 - 141/4 m^3 + 18/2 m^4 - m^5)$
$(\emptyset/64)(1979/16 - 1093/8 m + 374/4 m^2 - 79/2 m^3 + 19/2 m^4 - m^5)$
$(\emptyset/64)(1186/16 - 500/8 m + 124/4 m^2 - 17/2 m^3 + m^4)$
$(\emptyset/128)(1578/16 - 608/8 m + 140/4 m^2 - 18/2 m^3 + m^4)$
$(\emptyset/128)(392/8 - 298/4 m + 16/2 m^2 - m^3)$
$(\emptyset/256)(485/8 - 123/4 m + 17/2 m^2 - m^3)$
$(\emptyset/256)(93/4 - 15/2 m + m^2)$
$(\emptyset/512)(214/8 - 16/2 m + m^2)$
$(\emptyset/512)(14/2 - m)$
$(\emptyset/1024)(15/2 - m)$
$\emptyset/1024$
$\emptyset/2048$

TABLE 1. (continued)

13
$(\emptyset/64)(3003/16 - 4165/16 m + 1841/8 m^2 - 532/4 m^3 - 196/4 m^4 + 21/2 m^5 - m^6)$
$(\emptyset/64)(1979/16 - 1093/8 m + 374/4 m^2 - 79/2 m^3 + 19/2 m^4 - m^5)$
$(\emptyset/128)(2762/16 - 1397/8 m + 444/4 m^2 - 88/2 m^3 + 20/2 m^4 - m^5)$
$(\emptyset/128)(1578/16 - 608/8 m + 140/4 m^2 - 18/2 m^3 + m^4)$
$(\emptyset/256)(2063/16 - 731/8 m + 157/4 m^2 - 19/2 m^3 + m^4)$
$(\emptyset/256)(485/8 - 123/4 m + 17/2 m^2 - m^3)$
$(\emptyset/512)(592/8 - 139/4 m + 17/2 m^2 - m^3)$
$(\emptyset/512)(214/8 - 16/2 m + m^2)$
$(\emptyset/1024)(244/8 - 17/2 m + m^2)$
$(\emptyset/1024)(15/2 - m)$
$(\emptyset/2048)(16/2 - m)$
$\emptyset/2048$
$\emptyset/4096$

TABLE 1. (continued)

14
$(\emptyset/64)(3003/16 - 4165/16 m + 1841/8 m^2 - 532/4 m^3 + 196/4 m^4 - 21/2 m^5 + m^6)$
$(\emptyset/128)(4387/16 - 5562/16 m + 2285/8 m^2 - 310/2 m^3 + 216/4 m^4 - 22/2 m^5 + m^6)$
$(\emptyset/128)(2786/16 - 2794/16 m + 444/4 m^2 - 88/2 m^3 + 20/2 m^4 - m^5)$
$(\emptyset/256)(7599/32 - 3525/16 m + 1045/8 m^2 - 195/4 m^3 + 21/2 m^4 - m^5)$
$(\emptyset/256)(2063/16 - 731/8 m + 157/4 m^2 - 19/2 m^3 + m^4)$
$(\emptyset/512)(2655/16 - 870/8 m + 175/4 m^2 - 20/2 m^3 + m^4)$
$(\emptyset/512)(592/8 - 139/4 m + 18/2 m^2 - m^3)$
$(\emptyset/1024)(714/8 - 156/4 m + 19/2 m^2 - m^3)$
$(\emptyset/1024)(244/8 - 17/2 m + m^2)$
$(\emptyset/2048)(276/8 - 18/2 m + m^2)$
$(\emptyset/2048)(16/2 - m)$
$(\emptyset/4096)(17/2 - m)$
$\emptyset/4096$
$\emptyset/8192$

TABLE 1. (continued)

15
$(\emptyset/128)(6435/16 - 9949/16 m + 5066/8 m^2 - 3525/8 m^3 + 836/4 m^4 - 130/2 m^5 + 24/2 m^6 - m^7)$
$(\emptyset/128)(4387/16 - 5562/16 m + 2285/8 m^2 - 310/2 m^3 + 216/4 m^4 - 22/2 m^5 + m^6)$
$(\emptyset/256)(25147/64 - 14649/32 m + 5615/16 m^2 - 1485/8 m^3 + 237/4 m^4 - 23/2 m^5 + m^6)$
$(\emptyset/256)(7599/32 - 3525/16 m + 1045/8 m^2 - 195/4 m^3 + 21/2 m^4 - m^5)$
$(\emptyset/512)(10254/32 - 4395/16 m + 1220/8 m^2 - 215/4 m^3 + 22/2 m^4 - m^5)$
$(\emptyset/512)(2655/16 - 873/8 m + 175/4 m^2 - 20/2 m^3 + m^4)$
$(\emptyset/1024)(3369/16 - 513/4 m + 97/2 m^2 - 21/2 m^3 + m^4)$
$(\emptyset/1024)(714/8 - 156/4 m + 19/2 m^2 - m^3)$
$(\emptyset/2048)(852/8 - 174/4 m + 20/2 m^2 - m^3)$
$(\emptyset/2048)(138/4 - 18/2 m + m^2)$
$(\emptyset/4096)(155/4 - 19/2 m + m^2)$
$(\emptyset/4096)(17/2 - m)$
$(\emptyset/8192)(18/2 - m)$
$\emptyset/8192$
$\emptyset/16384$

TABLE 1. (continued)

16
$(\emptyset/128)(6435/16 - 9949/16 m + 5066/8 m^2 - 3525/8 m^3 + 836/4 m^4 - 130/2 m^5 + 24/2 m^6 - m^7)$
$(\emptyset/256)(76627/128 - 43947/64 m + 25879/32 m^2 - 8485/16 m^3 + 1090/8 m^4 - 283/4 m^5 + 23/2 m^6 - m^7)$
$(\emptyset/512)(35401/64 - 9502/16 m + 6835/16 m^2 - 825/4 m^3 + 259/4 m^4 - 24/2 m^5 + m^6)$
$(\emptyset/512)(10254/32 - 4395/16 m + 1220/8 m^2 - 215/4 m^3 + 22/2 m^4 - m^5)$
$(\emptyset/1024)(13623/32 - 5421/16 m + 1414/8 m^2 - 236/4 m^3 + 23/8 m^4 - m^5)$
$(\emptyset/1024)(3369/16 - 513/4 m + 97/2 m^2 - 21/3 m^3 + m^4)$
$(\emptyset/2048)(4221/16 - 600/4 m + 107/2 m^2 - 22/2 m^3 + m^4)$
$(\emptyset/2048)(852/8 - 174/4 m + 20/2 m^2 - m^3)$
$(\emptyset/4096)(1007/8 - 193/4 m + 21/2 m^2 - m^3)$
$(\emptyset/4096)(155/4 - 19/2 m + m^2)$
$(\emptyset/8192)(173/4 - 20/2 m + m^2)$
$(\emptyset/8192)(18/2 - m)$
$(\emptyset/16384)(19/2 - m)$
$\emptyset/16384$
$\emptyset/32768$

$$I(N,P) = I(N,N) = 0/2^{N-1}$$

$$I(N,P) = I(N,N+2) = 0/2^N \left[(N+5)/2 - m \right]$$

$$I(N,P) = I(N,N+4) = 0/2^{N+1} \left[N^2 + 13N + 46/8 - (N+8)m/2 + m^2 \right]$$

$$I(N,P) = I(N,N+6) = 0/2^{N+2} \left[N^3 + 24N^2 + 203N + 612/48 - (N^2 + 19N + 96)m/8 + (N+11)m^2/2 - m^3 \right]$$

$$I(N,P) = I(N,N+8) = 0/2^{N+3} \left[N^4 + 38N^3 + 568N^2 + 3886N + 10632/384 - (N^3 + 33N^2 + 380N + 1536)m/48 + (N^2 + 25N + 164)m^2/8 - (N+14)m^3/2 + m^4 \right]$$

$$I(N,P) = I(N,N+10) = 0/2^{N+4} \left[N^5 + 55N^4 + 1245N^3 + 14585N^2 + 88994N + 227760/3840 - (N^4 + 50N^3 + 971N^2 + 8722N + 30720)m/384 + (N^3 + 42N^2 + 611N + 3090)m^2/48 - (N^2 + 31N + 250)m^3/8 + (N+17)m^4/2 - m^5 \right]$$

24

$$I(N,P) = I(N,N+12) = 0/2^{N+5} \left[N^6 + 75N^5 + 2395N^4 + 41865N^3 + 424564N^2 + 238060N + 5798880/46080 - (N^5 + 70N^4 + 2015N^3 + 29930N^2 + 23030N + 737280)m/3840 + (N^4 + 62N^3 + 1487N^2 + 16402N + 70416)m^2/384 - (N^3 + 51N^2 + 896N + 5436)m^3/48 + (N^2 + 37N + 354)m^4/8 - (N+20)m^5/2 + m^6 \right]$$

Figure 1. Gregory-Newton Transposition

TABLE 2. CONSTANT TERM NUMERATORS

"m" EXPONENT = 0

IV

I

II

III

161052
(4, 15)

A • 161052

TABLE 3. POLYNOMIAL EXPANSIONS FOR SELECTED INTERSECTIONS

$T(2,14) =$	$0/128 + 17548/64 - 11124m/32 + 4570m^2/16 - 1240m^3/8 + 216m^4/4 - 22m^5/2 + m^6$
$T(3,15) =$	$0/256 - 25147/64 - 14649m/32 + 5615m^2/16 - 1435m^3/8 + 237m^4/4 - 23m^5/2 + m^6$
$T(4,16) =$	$0/512 + 35401/64 - 19044m/32 + 6835m^2/16 - 1650m^3/8 + 259m^4/4 - 24m^5/2 + m^6$
$T(5,16) =$	$0/1024 + 49024/64 - 24465m/32 + 8249m^2/16 - 1886m^3/8 + 282m^4/4 - 25m^5/2 + m^6$
$T(6,18) =$	$0/2048 + 66868/64 - 31086m/32 + 9877m^2/16 - 3344m^3/8 + 306m^4/4 - 26m^5/2 + m^6$

TABLE 4. 1ST POWER NUMERATORS

"m" EXPONENT = 1

IV

15

15 0

15 10

10 0

10 6 0

6 3 0

3 0 1

6 1 0

4 1 0

10 2 0

6 1 0

16 3 0

9 1 0

25 4 0

13 1 0

38 5 0

18 1 0

6 1 0

24 1 0

7 1 0

31 1 0

8 1 0

39 1 0

9 (1,5) 1 0

48 1 0

10 (2,6) 1 0

58 (1,7) 1 0

97954
(4,18)

..B - 97954

TABLE 5. 2ND POWER NUMERATORS

"m" EXPONENT = 2

[illegible]

40963
(4,18)

..C = 40963

TABLE 6. 3RD POWER NUMERATORS

[illegible]

TABLE 7. 4th Power Numerators

"m" EXPONENT = 4

[illegible]

TABLE 8. 5TH POWER NUMERATORS

"m" EXPONENT = 5

Diagram illustrating a grid structure with a staircase pattern of filled cells. The grid is divided into four quadrants by a horizontal line. The top-left quadrant contains a staircase pattern of cells with values: (0,0)=0, (0,1)=28, (1,1)=0, (1,2)=7, (2,2)=0, (2,3)=1, (3,3)=1, (3,4)=0, (4,4)=1, (4,5)=2, (5,5)=0, (5,6)=1. The top-right quadrant contains a staircase pattern of cells with values: (0,10)=1, (1,10)=20, (1,11)=1, (2,11)=21, (2,12)=1, (3,12)=238, (3,13)=22, (3,14)=1, (4,14)=260, (4,15)=23, (4,16)=1, (5,16)=283. The bottom-left quadrant contains a staircase pattern of cells with values: (0,0)=0, (0,1)=28, (1,1)=0, (1,2)=7, (2,2)=0, (2,3)=1, (3,3)=1, (3,4)=0, (4,4)=1, (4,5)=2, (5,5)=0, (5,6)=1. The bottom-right quadrant contains a staircase pattern of cells with values: (0,10)=1, (1,10)=20, (1,11)=1, (2,11)=21, (2,12)=1, (3,12)=238, (3,13)=22, (3,14)=1, (4,14)=260, (4,15)=23, (4,16)=1, (5,16)=283. A dashed box at the bottom center contains the value 332 and the coordinates (4,18). An arrow points from the right side of the grid to the value 21.

TABLE 9. 6TH POWER NUMERATORS

"m" EXPONENT = 6

Diagram illustrating a grid structure with numbers and arrows, likely representing a sequence or a specific configuration.

The grid is divided into two main sections by a wavy line.

Top Section (Grid 1):

0			
	36		
36		0	
	36		8
		8	0
		8	1
	16	1	0
	9	1	
25		2	0
	11	1	
36		3	0
	14	1	

Arrows indicate relationships:

- An arrow points from the number 36 in the second row, second column to the number 0 in the third row, third column.
- An arrow points from the number 24 in the bottom section to the number 0 in the top section.

Bottom Section (Grid 2):

	24		
	(1,15)		
308			
	25		
	(2,16)		
333			
	26		
	(3,17)		

Below the grid, there is a box containing the number 27 and the coordinates (4,18):

27
(4,18)

At the bottom right, the text $\therefore G = 27$ is displayed.

TABLE 10. LINE PROGRESSION CORRELATIONS

Diagonal	Term Exponent	Column Value									
I	0	0	1	0	2	0	3	0	4	0	5
	1	0	1	0	3	0	6	0	10	0	15
	2	0	1	0	4	0	10	0	20		
	3	0	1	0	5	0	15				
	4	0	1	0	6	0	21				
	5	0	1	0	7						
II	0	0	1	1	2	2	3	3	4	4	5
	1	0	1	1	3	3	6	6	10	10	
	2	0	1	1	4	4	10	10	20	20	
	3	0	1	1	5	5	15	15			
	4	0	1	1	6	6	21	21			
	5	0	1	1	7						
	6	0	1	1	8						
III	0	0	1	2	3	4	5	6	7	8	9
	1	0	1	2	4	6	9	12	16	20	
	2	0	1	2	5	8	14	20	30		
	3	0	1	2	6	10	20	30			
	4	0	1	2	7	12	27				
	5	0	1	2	8						
	6	0	1	2	9						

TABLE 11. VERTICAL COUNTER CORRELATION

Term Exponent	"IV" Column Value	Distance-Time Coordinate
0	6	(1,3)
1	9	(1,5)
2	12	(1,7)
3	15	(1,9)
4	18	(1,11)
5	21	(1,13)
6	24	(1,15)
7	27	(1,17)
8	30	(1,19)
9	33	(1,21)

ACKNOWLEDGEMENT

The finite difference and difference equation path followed in this report must be ascribed to Mr. Stowell Elder, who also graciously expended time, effort and encouragement to complete the development.

REFERENCES

1. Sutton, G.P., Rocket Propulsion Elements, John Wiley & Sons, New York 1956.
2. Spiegel, M.R., Theory and Problems of Finite Differences and Finite Difference Equations, Schaum's Outline Series in Mathematics, McGraw-Hill Book Company, New York, etc., 1971, pp. 36-44.

LIST OF SYMBOLS

a	constant (diffusivity)
h	exponent of 2 in the external denominator
j	exponent of 2 in each term denominator
k	exponent of "m" in final term
m	constant $(\frac{\Delta x}{\Delta x + \Delta x_0})$
n	number of x increments
t	independent variable (time)
x	independent variable (distance)
A,B,C,...	numerical coefficients
N	distance index
P	time index
T	Dependent variable (temperature)
∂	indicating partial differentrative
Δ	indicating difference
ΔT_t	time variable effecting a change in T
ΔT_x	distance variable effecting a change in T
ϕ	external numerator

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
1	Commander US Army AMCCOM, ARDC ATTN: SMCAR-ESP-L Rock Island, IL 61299	1	Commander US Army Missile Command ATTN: AMSMI-R Redstone Arsenal, AL 35898
2	Director Benet Weapons Laboratory Armament R&D Center US Army AMCCOM, ARDC ATTN: SMCAR-LCB-TL SMCAR-LCB, J. Zweig Watervliet, NY 12189	1	Commander US Army Missile Command ATTN: AMSMI-YDL Redstone Arsenal, AL 35898
1	Commander US Army Aviation Research and Development Command ATTN: AMSAV-E 4300 Goodfellow Blvd St. Louis, MO 63120	1	Commander US Army Tank Automotive Cmd ATTN: AMSTA-TSL Warren, MI 48090
1	Commander US Army White Sands Missile Range ATTN: STEWS-VT White Sands, NM 88002	1	Director US Army TRADOC Systems Analysis Activity ATTN: ATAA-SL White Sands Missile Range, NM 88002
1	Director US Army Air Mobility Research and Development Laboratory Ames Research Center Moffett Field, CA 94035	3	Commander USA AMCCOM, ARDC Benet Weapons Laboratory ATTN: SMCAR-LCB-TL Watervliet, NY 12189
1	Commander US Army Communications Electronics Command ATTN: AMSEL-ED Fort Monmouth, NJ 07703-5301	1	Project Manager, XM1 USA Tank and Automotive Cmd ATTN: AMSTA-TSL Warren, MI 48090
1	Commander US Army Electronics Research and Development Command Technical Support Activity ATTN: DELSD-L Fort Monmouth, NJ 07703-5301	1	Commander US Army Research Office ATTN: Tech Lib P.O. Box 12211 Research Triangle Park NC 27706-2211
		2	Commandant USA Artillery & Missile School ATTN: AKPSIAS-G-CN AKPSIAS-G-RK Fort Sill, OK 73504

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
1	Administrator Defense Technical Info Center ATTN: DTIC-DDA Cameron Station Alexandria, VA 22304-6145	4	Commander USA AMCCOM, ARDC ATTN: SMCAR-LCU, E. Barrieres SMCAR-LCU-M D. Robertson M. Weinstock C. Larson Picatinny Arsenal, NJ 07806-5000
2	Director Defense Advanced Research Projects Agency ATTN: C.R. Lehner G. Ligman, Jr. 1400 Wilson Boulevard Arlington, VA 22209	9	Commander USA AMCCOM, ARDC ATTN: SMCAR-LCA, B. Knutelski SMCAR-R, E.H. Moore, III SMCAR-LCS, J. Gregorits T. Davidson SMCAR-LCA, E. Friedman A. Lehberger R. Wrenn A. Loeb S. Wasserman Picatinny Arsenal, NJ 07806-5000
1	Director Institute for Defense Analyses ATTN: H. Wolfhard 400 Army-Navy Drive Alexandria, VA 22202		
1	Commander US Army Materiel Command ATTN: AMCDMD-ST 5001 Eisenhower Avenue Alexandria, VA 22333		
1	Commander Armament R&D Center USA AMCCOM, ARDC ATTN: SMCAR-TDC Picatinny Arsenal, NJ 07806-5000	7	Commander USA AMCCOM, ARDC ATTN: SMCAR-SCM SMCAR-SCS, B. Brodman T. Hung J. Jacobson D. Brandt W. Gadomski E. Malatesta Picatinny Arsenal, NJ 07806-5000
2	Commander Armament R&D Center USA AMCCOM, ARDC ATTN: SMCAR-TSS Picatinny Arsenal, NJ 07806-5000		
3	Commander USA AMCCOM, ARDC ATTN: SMCAR-LC SMCAR-LCU, D. Costa A. Moss Picatinny Arsenal, NJ 07806-5000	3	Commander USA AMCCOM, ARDC ATTN: SMCAR-LCS-T Picatinny Arsenal, NJ 07806-5000
		2	Commander USA Watervliet Arsenal ATTN: SARVV-RDD, P. Vottis DRDAR-LCB, T. Allen Watervliet, NY 12189

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>
1	Chief of Naval Research ATTN: Code 473 800 N. Quincy Street Arlington, VA 22217
2	Commander Naval Surface Weapons Center ATTN: Tech Lib, L.L. Pater Dahlgren, VA 22448
1	Commander Naval Research Laboratory ATTN: Code 6180 Washington, DC 20375
1	Commander Naval Ordnance Station ATTN: A. Roberts Indian Head, MD 20640
1	Illinois Institute of Technology Department of Mechanics ATTN: Dr. L.N. Tao 3300 S. Federal Street Chicago, IL
1	Southwest Research Institute Department of Energetics ATTN: Mr. Tom Jeter San Antonio, TX

Aberdeen Proving Ground

Dir, USAMSAA
ATTN: AMXSY-D
AMXSY-MP, H. Cohen
Cdr, USATECOM
ATTN: AMSTE-TO-F
Dir, USACSL, Bldg. E3516, EA
ATTN: SMCAR-RSP-A

USER EVALUATION SHEET/CHANGE OF ADDRESS

This Laboratory undertakes a continuing effort to improve the quality of the reports it publishes. Your comments/answers to the items/questions below will aid us in our efforts.

1. BRL Report Number _____ Date of Report _____

2. Date Report Received _____

3. Does this report satisfy a need? (Comment on purpose, related project, or other area of interest for which the report will be used.) _____

4. How specifically, is the report being used? (Information source, design data, procedure, source of ideas, etc.) _____

5. Has the information in this report led to any quantitative savings as far as man-hours or dollars saved, operating costs avoided or efficiencies achieved, etc? If so, please elaborate. _____

6. General Comments. What do you think should be changed to improve future reports? (Indicate changes to organization, technical content, format, etc.) _____

CURRENT ADDRESS	_____
	Name

	Organization

	Address

	City, State, Zip

7. If indicating a Change of Address or Address Correction, please provide the New or Correct Address in Block 6 above and the Old or Incorrect address below.

OLD ADDRESS	_____
	Name

	Organization

	Address

	City, State, Zip

(Remove this sheet, fold as indicated, staple or tape closed, and mail.)

----- FOLD HERE -----

Director
US Army Ballistic Research Laboratory
ATTN: DRXBR-OD-ST
Aberdeen Proving Ground, MD 21005-5066




NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 12062 WASHINGTON, DC
POSTAGE WILL BE PAID BY DEPARTMENT OF THE ARMY

Director
US Army Ballistic Research Laboratory
ATTN: DRXBR-OD-ST
Aberdeen Proving Ground, MD 21005-9989



----- FOLD HERE -----

